

Re: New Logic

Source: http://coding.derkeiler.com/Archive/C_CPP/comp.lang.c/2005-11/msg02818.html

- *From:* "Mike Wahler" <mkwahler@xxxxxxxxxxxx>
 - *Date:* Sun, 27 Nov 2005 06:15:06 GMT
-

"Spidey" <amalhashim@xxxxxxxx> wrote in message
news:1133071695.210774.263050@xx
> What is best solution for finding "a repeatedly occurring lenghtiest sub
> SEQUENCE from a given paragraph"

The 'best solution' in the context of this newsgroup is
to write a C program to do it.

>
> ex:
> input:
> hello world is a good hello world. Is that the way it is
> a way.
> Output:
> hello world

Nobody is going to write the code for you, however if
you post your best attempts (code) accompanied by specific
questions, you'll get plenty of help.

-Mike

-
- *References:*
 - ◆ [*New Logic*](#)
 - ◇ *From:* Spidey
 - Prev by Date: [*New Logic*](#)
 - Next by Date: [*Re: Function and variable declarations*](#)
 - Previous by thread: [*New Logic*](#)
 - Next by thread: [*Re: New Logic*](#)
 - Index(es):
 - ◆ [*Date*](#)
 - ◆ [*Thread*](#)