

Re: Pass multiple select options using GET

Source: <http://coding.derkeiler.com/Archive/Java/comp.lang.java.programmer/2005-06/msg00822.html>

- *From:* Owen Jacobson <ojacobson@xxxxxxxxxxx>
 - *Date:* Thu, 09 Jun 2005 05:15:23 GMT
-

On Wed, 08 Jun 2005 14:33:02 -0700, puneet.bansal wrote:

```
> I am trying to use the following
>
> window.open('ProcessXXXServlet?brand='+document.forms[0].brand.values);
>
> where 'brand' is a multiple select. But using this I get only first value
> of brand on the server, not all the ones that user selected in the
> multiple select
```

Her question, I believe, was "is this Javascript, or Java?". If it's JavaScript, you put it between <script> tags or in onClick/onWhatever actions in an HTML document (among other things) and is OFF TOPIC here. If it's Java, you'll have to give us the declarations of the variables 'window' and 'document' before we can make sense of that.

(If it's Java, your quoting's wrong, anyways; I'm sure you're using javascript, in which case you should take your question to an appropriate newsgroup. comp.lang.javascript, probably.)

.

• **References:**

- ◆ ***Pass multiple select options using GET***
 - ◇ *From:* puneet . bansal
 - ◆ ***Re: Pass multiple select options using GET***
 - ◇ *From:* puneet . bansal
 - ◆ ***Re: Pass multiple select options using GET***
 - ◇ *From:* Lucy
 - ◆ ***Re: Pass multiple select options using GET***
 - ◇ *From:* puneet . bansal
-
- Prev by Date: ***IDE for JSP with tags***
 - Next by Date: ***NYJavaSIG Meeting – 062205 – Bob Pasker (former Chief Architect of WebLogic App Server) – JVM Parallelism***
 - Previous by thread: ***Re: Pass multiple select options using GET***
 - Next by thread: ***Re: Pass multiple select options using GET***
 - Index(es):

Re: Pass multiple select options using GET

- ◆ Date
- ◆ Thread