

# HTA starting continual applet

---

*Source:* <http://coding.derkeiler.com/Archive/Java/comp.lang.java.programmer/2006-09/msg02551.html>

---

- *From:* "wilfried.pz" <[wilfried.pz@xxxxxxxxxxxx](mailto:wilfried.pz@xxxxxxxxxxxx)>
  - *Date:* Sun, 24 Sep 2006 20:20:28 -0000
- 

following problem:

-----  
a Java-applet shall " program.exe " on my computer to running.  
That is not allowed to it.  
But I would it so.  
It is only for me.

here is the code from applet:

-----  
// This is Exec1.java(class)  
import java.util.\*;  
import java.io.\*;

```
public class Exec1 extends java.applet.Applet implements Runnable
{
    Thread runner;
    public void start()
    {
        if (runner==null)
        {
            runner = new Thread(this);
            runner.start();
        }
    }

    public void run()
    {
        Thread thisThread = Thread.currentThread();
        while (runner == thisThread)
        {
            try
            {
                //the Applet call Program "Setup.exe"
                Runtime rt = Runtime.getRuntime();
                Process proc = rt.exec("setup.exe");
            }
            catch(Throwable t)
            {
```

## HTA starting continual applet

```
t.printStackTrace();
}
}
}
}
```

The applet shall in a "Website.HTA" (a HTML-Application) to run.  
So, I avoid the security-facilities of the Browsers.

Here is the code from "Website.HTA" :

---

```
<html>
<head>
<title>Datei.hta</title>
<script type="text/javascript"></script>
</head>

<body>
<p> Test.HTA, EXE-Programm shall per HTA to run

<APPLET CODE=Exec1></APPLET>
<script>
//Javascript close "website.HTA", because loads the applet the program
continual
self.focus()
self.close()

</script>

</body>
</html>
```

What does my applet ?  
it loads and it loads and it loads... until my RAM – memory is exhaust.

How can I write my program , in order to tell the applet, the " Program.exe  
" shall store it only once loads

Thanks,

wilfried.pz  
in Germany

.