

## sending email problem....

---

*Source:* <http://coding.derkeiler.com/Archive/Perl/perl.beginners/2006-03/msg00975.html>

---

- *From:* [tony.marquis@xxxxxxxxxx](mailto:tony.marquis@xxxxxxxxxx) (Tony Marquis)
  - *Date:* Fri, 31 Mar 2006 09:56:51 -0500
- 

Hi everyone,

The problem is really simple. When i try to send a message with this function with a wrong sender email address, my script just stops...

as an exemple : sender address [tony.iagdyu@xxxxxxxxxx](mailto:tony.iagdyu@xxxxxxxxxx) the error message is – user not found on this server.... and the script stops.

---

```
use Mail::Sendmail;
use MIME::Lite;
use Email::Valid;

sub send_mail {

my ($mailto, $mailfrom, $sujet, $body_file, $file_send, $cc) = @_ ;
my $body_msg = "";
my $mail_err;

if ((Email::Valid->address( -address => $mailto, -mxcheck => 1 ) ? '1' : '0') eq '0' ) {
($mailto, $mailerr, $mailrom) = ($mailfrom, $mailto, "root\@feinc.com");
$sujet = "Destination invalide / Invalid destination $mailerr" . $sujet;
if ((Email::Valid->address( -address => $mailto, -mxcheck => 1 ) ? '1' : '0') eq '0' ) {
$sujet = "ERROR: $mailto $mailfrom " . $sujet;
$mailto = "tony\@feinc.com";
}
}

if ( $cc eq "1" ) {
### Create a new multipart message:
$msg = MIME::Lite->new(
From =>$mailfrom,
To =>$mailto,
Cc =>$mailfrom,
Subject =>$sujet,
Type =>'multipart/mixed'
);
}
else {
### Create a new multipart message:
```

sending email problem....

```
$msg = MIME::Lite->new(
From =>$mailfrom,
To =>$mailto,
Subject =>$sujet,
Type =>'multipart/mixed'
);
}

open (FIC, $body_file) or die("Le fichier body $body n'existe pas\n");
while (<FIC>) {
$body_msg .= $_;
}
### Add parts (each "attach" has same arguments as "new"):
$msg->attach(Type =>'TEXT',
Data =>$body_msg
);

$msg->attach(Type =>'application/pdf',
Path =>$file_send,
Filename =>$file_name,
Disposition => 'attachment'
);
### Send in the "best" way (the default is to use "sendmail"):
MIME::Lite->send('smtp', "mail.xxxxxxxx.com", Timeout=>60);
$msg->send;
}
```

sending email problem....