

Re: Change Cursor in TCL 8.0

Source: <http://coding.derkeiler.com/Archive/Tcl/comp.lang.tcl/2005-06/msg00360.html>

- *From:* Manfred Stelzhammer <stelzhammer@xxxxxxxxxxxx>
 - *Date:* Tue, 14 Jun 2005 23:05:46 +0200
-

Do you use BLT?

Regards
Manfred

Phil Biehl schrieb:

Manfred,
Yes, it does exist in the folder specified

Phil

"Manfred Stelzhammer" <stelzhammer@xxxxxxxxxxxx> wrote in
message [news:d8nq4s\\$mk\\$1@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx](mailto:news:d8nq4smk1@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx)

For me it works fine (Windows XP professional SP2, Tcl 8.4.9)

I know it's a standard cursor
but does the file exist on this place?

Regard
Manfred

Phil Biehl schrieb:

Re: Change Cursor in TCL 8.0

No luck. Same error. Is it possible that the file format is incompatible?

Phil

"Manfred Stelzhammer"
<stelzhammer@xxxxxxxxxxxx> wrote in
message
[news:d8nb5f\\$Sif\\$1@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx](news:d8nb5fSif1@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx)

Phil Biehl schrieb:

Hi,
I'm trying to use
an enlarged cursor
for enhanced
accessability but I
keep getting "bad
cursor spec
C:WINDOWS/Cursors/HWE.cur"
when I use the
command: .. config
-cursor
@C:/WINDOWS\Cursors/HWE.cur.

What am I doing wrong?

Environment is Windows XP wusing TL 8.0.

Thanks,
Phil

Try:

Re: Change Cursor in TCL 8.0

```
. config -cursor @C:/WINDOWS/Cursors/HWE.cur
```

You have an backslash in your command

Regards
Manfred